

328L single door refrigerator, natural stainless steel with FlexStor adjustable interior solutions, a fingerprint resistant finish & 3.5-star energy rating, adjustable interior storage solutions, quick chill function & SpillSafe™ glass shelves



Product Details

FEATURES

Spillsafe™ glass shelves	Quick chill function	FlexStor™ door bin storage system	LED lighting
Pigeon pairing capability	Door alarm	Full-width crisper	Multi-flow air delivery system
Electronic temperature controls	R600a refrigerant better for the environment	Reversible door	

BENEFITS

Understanding new capacity and energy ratings
From the 15th August 2021, the way refrigerators are tested to calculate Energy Star Ratings and energy consumption have changed. This means that the capacity and energy rating calculations have changed, however the product remains unchanged. Be sure to check all new ratings to ensure that your comparisons are consistent with the new standards.

FlexSpace™, it's size redefined
With a busy lifestyle and a growing family, you can always do with more space in your fridge. That's why Westinghouse created FlexSpace™, which is designed to maximise storage, flexibility and access to meet your ever-changing needs. Big enough to handle even the biggest grocery shop, you'll be able to fit in all your food and drinks with ease.

Adjustable solutions with FlexStor™
As your family changes and grows, so do the requirements of your fridge. With FlexStor™ you enjoy the convenience of being able to easily change the configuration, whatever your needs. Adjust the height and position of the door bins to fit in large and smaller items and arrange your fridge your way.

Pigeon Pair
Westinghouse's vertical fridges and freezers can be combined in one space to give you a pigeon pair. This provides you with the maximum fresh food and freezer storage in one unit- truly the big fridge for the big family

Easy to clean
Spills happen, but when they do, the world doesn't have to end. The Westinghouse SpillSafe™ glass shelves help with the mess by containing the spilt liquid to one shelf, so you have less to clean.

Specifications

PRODUCT PROFILE

Domestic warranty details (yrs)	2
Additional domestic warranty for the sealed refrigeration system only (yrs)	3
Refrigerator Type	vertical fridge
Exterior door finish	Stainless steel
Handle design	bar handle
Fridge door opening	reversible
Cooling system	frost free
Refrigerant	R600a

DIMENSIONS

Total height (mm)	1746
Cabinet height (mm)	1746
Total width (mm)	595
Cabinet width (mm)	595
Total depth (mm)	700
Cabinet depth (mm)	560
Depth door open 90degree (mm)	1175
Food Compartment Capacity (L) - AS/NZS 4474.1 2007 (IEC 62552-2015) *	328
Total Capacity (L) - AS/NZS 4474.1 2007 (IEC 62552-2015) *	328
Food compartment capacity (gross in litres)	355
Total Gross Capacity (L)	355
Food compartment capacity (net in litres)	355

ENERGY

Energy Star Rating - AS/NZS 4474.1 2007 (IEC 62552- 2015) *	3.5
---	-----

Energy Consumption (kWh/year) - AS/NZS 4474.1 2007 (IEC 62552- 2015) *	182
--	-----

Energy Star Rating AS/NZS 4474.2:2009	3.0
---------------------------------------	-----

Energy consumption AS/NZS 4474.2:2009 (kWh/yr)	237
--	-----

FOOD COMPARTMENT

SHELVING

Shelf material	glass
----------------	-------

Type of shelf	spill safe shelf
---------------	------------------

LIGHTING

Main light	LED
------------	-----

REFRIGERATOR SYSTEM

Controls	electronic (with display)
----------	---------------------------

Controls location	external
-------------------	----------

Controls type	touch
---------------	-------

Control functions	holiday mode,quick chill
-------------------	--------------------------

Door alarm	fridge
------------	--------

CRISPERS

Crisper lid/shelf	glass
-------------------	-------

Crispers Runner system	rollers
------------------------	---------

Full width crisper	2
--------------------	---


FOOD COMPARTMENT DOOR

BINS


Deep bottle bin	2
-----------------	---

Dimensions

WRB5004SC/WC
 WFB4204SC/WC
 WRB3504SA/WA
 WFB2804SA/WA
 WRM2400WE
 WFM1700WE



Minimum Recommended Airspaces



If you have a cupboard above the refrigerator with a rear gap of less than 100mm (Y), recommended minimum clearance at the top of the refrigerator increases from 30mm to 70mm (X).

Please note: Doors are designed to sit proud of cabinetry (not flush).

When positioned in a corner area, clearance of at least 350mm on the hinge side will allow the doors to open enough to enable the removal of the bins and shelves.

Dimensions	Product Height (H)	Product Width (W)	Product Depth (D)	Product Depth (D2) (Door Open)	Airspace	Side - both	Top	Behind
WRB5004SC/ WC	1725	699	641	1360	WRB5004SC/ WC	30	30	50
WFB4204SC/ WC	1725	699	769	1360	WFB4204SC/ WC	30	30	50
WRB3504SA/ WA	1746	595	700	1175	WRB3504SA/ WA	30	30	50
WFB2804SA/ WA	1746	595	700	1175	WFB2804SA/ WA	30	30	50
WRM2400WE	1434	550	545	1050	WRM2400WE	30	30	50
WFM1700WE	1434	550	560	1065	WFM1700WE	30	30	50

IMPORTANT

These dimensions are a guide only. All measurements are in millimetres (mm). For complete installation instructions, refer to the manual provided with product.
 © 2021 Electrolux Home Products Pty Ltd. ABN 51 004 762 341. W_DIM_SD_Oct21

Terms and Conditions

IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 640

fax: 1800 350 067

email: customercare@electrolux.com.au

web: www.electrolux.com.au

ELECTROLUX HOME PRODUCTS NEW ZEALAND

telephone: 09 573 2230

fax: 09 573 2221

email: customercare@electrolux.co.nz

web: www.electrolux.co.nz